

Health Care Provider HIGH RISK Vaccine Requisition Form

When completed, fax this form to your local Algoma Public Health office:			PHU Use Only – Order No.:	
Sault Ste. Marie - 294 Willow Ave Sault Ste. Marie, ON P6B 0A9 Fax: 705-705-541-5959				
All information must be filled out for each vaccine ordered to avoid delay in processing. Four weeks of temperature logs must be included. Refer to the current Publicly Funded Immunization Schedule – December 2016 for detailed high risk eligibility criteria.				
Healthcare Provider Name:		Requisition D	ate (yyyy/mm/dd)	
Name of Contact Person:	Telephone Number:			
City/Town:	Fax Number:	Delivery Metho Courier	d: Customer Picl	k-up □
HIGH RISK Vaccines/Product ID/Age	Eligibility (Please mark all that apply)			Doses Required
Haemophilus influenza type b (Act-HIB® / Hiberix®) [6571-3255-0] – 5 dose/box [6571-3254-0] – 1 dose/box Age of client(s):	 Eligibility – ≥ 5 years with: Hematopoietic stem cell transplant (HSCT) recipient (3 doses) Functional or anatomic asplenia (1 dose) Immunocompromised related to disease or therapy (1 dose) Bone marrow or solid organ transplant recipient (1 dose) Lung transplant recipient (1 dose) Cochlear implant recipient (pre/post implant) (1 dose) Primary antibody deficiency (1 dose) 			
Hepatitis A Vaccine, (Havrix®/Avaxim®/Vaqta®) [Paediatric – 6571-3256-0] [Adult – 6571-3257-0]	 Eligibility (2 doses) - ≥ 1 year with: Chronic liver disease (including Hepatitis B and C) Persons engaging in intravenous drug use Men who have sex with men 			
Age of client(s):				
Hepatitis B Vaccine (Recombivax HB® / Engerix® -B) [Paediatric – 6571-3251-0] [Adult – 6571-3243-0] [Renal Dialysis – 6571-3324-1] Age of client(s):	 Eligibility - ≥ 0 years with: Infant born to HBV-positive carrier mothers: premature infant weighing <2,000 grams at birth (4 doses) premature infant weighing ≥2,000 grams at birth and full/post term infants (3 doses) Household or sexual contact of chronic carrier or acute case (3 doses) Individuals engaging in intravenous drug use (3 doses) Men who have sex with men, individual with multiple sex partners, or history of a sexually transmitted disease (3 doses) Needle stick injury in a non-health care setting (3 doses) Child <7 years old whose family has immigrated from country of high prevalence for hepatitis B and who may be exposed to hepatitis B carriers through their extended family (3 doses) Chronic liver disease including hepatitis C (3 doses) Renal dialysis or disease requiring frequent receipt of blood products (e.g., haemophilia) (2nd and 3rd doses only) Awaiting liver transplant (2nd and 3rd doses only) 			
Groups HPV 6, 11, 16, 18, 31, 33, 45, 52, 58 (Gardasil® 9) [6571- 3390-0] – 1dose/box	 Eligibility (2-3 doses depending on age Males between 9 to 26 years with: Males 9 to 26 years of age who identify HPV vaccine previously. 	-	ave not received	
[6571- 3390-1] – 10 dose/box				
Age of client(s):				
Meningococcal B Vaccine Group B (Bexsero®)	Eligibility (2-4 doses depending on age with: □ Functional or anatomic asplenia	e) – Age 2 mont	hs to 17 years	
[6571-3314-0]	 Functional or anatomic aspienta Complement, properdin, factor D, or primary antibody deficiency Cochlear implant recipient -pre/post implant 			
Age of client(s):	 Cocheal implant recipient -pre/post in Acquired complement deficiency HIV 	ηριατι		

Meningococcal Polysaccharide Vaccine, Groups A,C,Y and W-135 Combine (Menomune®) discontinued, Menactra will be used [6571-3327-2] Age of client(s): Meningococcal Conjugate Vaccine Groups A,C,Y, W135 (Menactra®) [6571-3360-0] Age of client(s):	Eligibility (1 dose) - ≥ 56 years with: □ Functional or anatomic asplenia □ Complement, properdin, factor D, or primary antibody deficiency □ Cochlear implant recipients -pre/post implant □ Acquired complement deficiency □ HIV Eligibility (2-4 doses depending on age) – Age 9 months to 55 years with: □ Functional or anatomic asplenia □ Complement, properdin, factor D, or primary antibody deficiency □ Cochlear implant recipient - pre/post implant □ Acquired complement deficiency □ HIV
Pneumococcal Conjugate Vaccine – 13 valent (Prevnar® 13) [6571-2202-5] * HSCT recipients are eligible for 3 doses. All other eligible conditions receive only 1 dose. See Table 17 of the Publicly Funded Immunization Schedules (Dec. 2016) for vaccine intervals. Please note: Prevnar®13 utilized for routine childhood immunizations may be used for this patient. If Prevnar®13 is not normally stocked, please fill out this form accordingly. The High Risk Immunization Reporting Form must be completed and faxed to Algoma Public Health following vaccine administration. Age of client(s):	 Eligibility ≥ 50 years with: Hematopoietic stem cell transplant (HSCT)* (3 doses) HIV Asplenia (functional or anatomic Sickle cell disease or other hemogloinopathies Cogenital immunodeficiencies involving any part of the immune system, including B-lymphocyte (humoral) immunity, T-lymphocyte (cell) mediated immunity, complement system (properdin or Factor D deficiencies), or phagocytic functions Immunocompromising therapy including use of long-term corticosteroids, chemotherapy, radiation therapy, post-organ transplant therapy, biologic and certain anti-rheumatic drugs Malignant neoplasms including leukemia and lymphoma Solid organ or islet cell transplant (candidate or recipient)
Pneumococcal-P-23 Valent (Pneumovax®23) [6571-4010-2] Please note: Pneumovax®23 utilized for routine immunizations may be used for this patient. If Pneumovax®23 is not normally stocked, please fill out this form accordingly. The High Risk Immunization Reporting Form must be completed and faxed to Algoma Public Health following vaccine administration. Age of client(s):	 Eligibility (1 dose) – 2-64 years with: Asplenia (functional or anatomic) Cardiac disease (chronic) Cerebral spinal fluid leak (chronic) Cochlear implant recipient (pre/post implant) Cogenital immunodeficiencies involving any part of the immune system, including B-lymphocyte (humoral) immunity, T-lymphocyte (cell) mediated immunity, complement system (properdin or Factor D deficiencies), or phagocytic functions Diabetes mellitus HIV Immunocompromising therapy including use of long-term corticosteroids, chemotherapy, radiation therapy, post-organ transplant therapy, biologic, certain anti-rheumatic drugs, and other immunosuppressive therapy Liver disease (chronic), including HBV/HCV and hepatic cirrhosis Malignant neoplasms, including leukemia and lymphoma Renal disease (chronic), excluding asthma, except those treated with high-dose corticosteroid therapy Sickle-cell disease and other sickle cell haemoglobinopathies Solid organ or islet cell transplant (candidate or recipient) Neurologic conditions (chronic) that may impair clearance of oral secretions Hematopoietic stem cell transplant (HSCT) candidate or recipient